

# DTrace/SystemTap SDT Probes in OpenAFS

---

Andrew Deason

June 2019

OpenAFS Workshop 2019

## Userspace DTrace Background

- Specify triggers on events (function calls)
- No special support needed
- Complex functionality builtin
  - threading issues
  - efficient aggregation
- No need to setup logging, auditing, etc

## Generic Examples

Prints every time a specific function is called:

```
$ cat example.d
#!/sbin/dtrace -qs
pid$1::some_function:entry {
    printf("some_function(%d) called\n", arg0);
}

$ ./example.d `pgrep program`
```

## Generic Examples

Prints the sum instead:

```
$ cat example.d
#!/sbin/dtrace -qs
pid$1::some_function:entry {
    @total = sum(arg0);
}

$ ./example.d `pgrep program`
```

## Primitive OpenAFS Examples

```
$ cat example.d
pid$1::SVL_GetEntryByID*:entry {
    printf("Somebody looked up volume ID %d\n", arg1);
}

$ ./example.d `pgrep vlserver`
```

## Primitive OpenAFS Examples

```
$ cat example.d
pid$1::SVL_GetEntryByName*:entry {
    printf("Somebody looked up volume name %s\n",
          copyinstr(arg1));
}

$ ./example.d `pgrep vlserver`
```

## Gross Complex OpenAFS Example

```
$ cat example.d
pid$1::SVL_GetEntryByName*:entry {
    this->conn = copyin(arg0 + 0x60,
                        sizeof(uintptr_t));
    this->peer = copyin(this->conn + 0x8,
                        sizeof(uintptr_t));
    this->host = copyin(this->peer + 0x8,
                        sizeof(int));
    printf("Host %s looked up volume name %s\n",
           inet_ntoa(this->host), copyinstr(arg1));
}

$ ./example.d `pgrep vlserver`
```

## Complex OpenAFS Example

- Low-level
  - Must know function names
  - Manual structure unpacking
  - Hard-coded memory offsets
- Automatic debug type inference
- Need a higher-level interface

## Better OpenAFS Example

```
$ cat example.d
pid$1::GetEntry-start {
    printf("IP %s looked up volname %s\n",
          args[1]->ci_remote, args[3]->volname);
}
pid$1::GetEntry-done {
    printf("Request from %s, status: %s\n",
          args[1]->ci_remote, afs_errorstr[args[0]]);
}

$ ./example.d `pgrep vlserver`
```

## SDT Probes

- Requires OpenAFS code changes
- `/usr/lib/dtrace/openafs.d` translates into symbolic info:

```
translator conninfo_t < struct rxcall_info_int *rx > {  
    ci_remote = *COPYIN1(rx->ip_raddr_n,  
                        uint32_t) == 0 ? "<unknown>" :  
    inet_ntoa(COPYIN1(rx->ip_raddr_n,  
                    ipaddr_t));  
};
```

## vltop

```
$ ./vltop
vltop - 2019 Jun 19 14:12:35 - sol11-1 - vlserver pid 11585
TOTAL CPU: 0.4%

REQ/S  ERR/S  %REQ  %ERR  %WTIME %VTIME  %CPU  VOLUME
 46.0   46.0   33.7  100.0  30.4   24.4    0.1  notexist.1234
 45.3    0.0   33.2   0.0   42.4   48.4    0.2  root.cell
 45.3    0.0   33.2   0.0   27.2   27.2    0.1  d1.root
```

□

- More subsystems (Rx, fileserver)
- SystemTap:

```
probe process("vlserver").provider("openafs")
.mark("GetEntry-start") {
    printf("IP %s looked up volname %s\n",
          $arg1, $arg2);
}
```

## Top Commit

<https://gerrit.openafs.org/13386>

## All Commits

<https://gerrit.openafs.org/#/q/topic:dtrace-usdt-probes>

## Slides

<http://dson.org/talks>

?